



**17**  
kWh/1000h

**A++**  
energy class

**124**  
lumens/watt

## LED T8 Value Glass

LEDT8 VG 1.2m 17W 865 100-240V TU  
1/15

93112866

## Product information

The LED T8 VG Glass range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm, 150cm and 180cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electro-magnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).

## Application areas




Office



Hospitality



Industrial



## Product data

Product Code	93112866
Bulb Shape	T8
Bulb Finish	Diffuse
Bulb Diameter [mm]	28
Regulatory comment	CE certified
Nominal Length [mm]	1200
Maximum Overall Length [mm]	1214
Net weight per piece [g]	0.255
Gross weight per piece [g]	0.374
Operating position	Universal
Mercury Content [mg]	No
RoHS compliant	Yes
Brand	Tungsrám
Cap/Base	G13

## Performance data

Nominal/ Rated Beam Angle [°]	200°
Colour Code	865
Colour consistency	<6 steps
Rated Lumens [lm]	2100
Weighted energy consumption [kWh/1000h]	17.0
Rated efficacy [lm/W]	123.529411764706
Energy efficiency class (EEC)	A++
Rated life L70/B50 [h]	50000
Nominal correlated colour temperature (CCT) [K]	6500
Nominal lumens [lm]	2100
Colour Rendering Index (CRI) [Ra]	80

## Electrical data

Nominal lamp power factor...	>0,9
Rated power [W]	17.0
Design Ambient Temperature [°C]	-30...+50°C
Starting time (sec)	<0,5 sec
Number of switching cycles	50000
Dimming Capability	No
Nominal power [W]	17

## Logistic data

Shipment	Standard
DUN Code	00000000000000
EAN Code	5994100029663
Pack Quantity	15
Inner pack type	sleeve
Outer pack type	Corrugated box
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Installation guide \(PDF\)](#)

[Images \(HTTP\)](#)

[Datasheet \(FR\) \(PDF\)](#)

